

FRANKSTON ARTS CENTRE

THEATRE Technical Specifications

Updated
February 2020

Coordinator Operations – Tim Blundell

Phone Number 03 9784 1058
Mobile Number 0412 346 753
Email Address tim.blundell@frankston.vic.gov.au

Team Leader Technical Operations – Michelle Bingham

Phone Number 03 9784 1050
Mobile Number 0400 876 550
Email Address michelle.bingham@frankston.vic.gov.au

Venue: Frankston Arts Centre

Phone number: 03 9784 1051
Website: <http://thefac.com.au>

NOTE: Additional contact details are located on the final page

STAGE

Brief Stage Description

Stage is unraked with a proscenium arch and flying facilities. Stage floor consists of painted low sheen acrylic black 6mm Masonite sheets over tongue and groove Tasmanian oak. Screwing into surface with short screws is permitted but larger holes are to be authorised by the Team Leader Technical Operations. Stage crossovers exist behind last fly line and in rear corridor.

Stage distributed load limit	750kg/m²
Stage point load limit	450kg
Stage rake	No

Stage Dimensions

Proscenium

Width	16000mm (False Pro Variable)
Height	8800mm (False Pro Variable)

Setting Line

Upstage edge of Proscenium

Distance From (*SL = Setting Line, CL = Centre Line*)

SL to DS edge of apron	1220mm
SL to DS edge of Orchestra Lift/Pit	Centre 3750mm, Edge 2100mm
SL to first fly line	70mm
SL to last upstage fly line	9220mm (can be brailed further US)
SL to rear wall	11750mm
CL to OP wall (or obstruction)	10700mm
CL to PS wall (or obstruction)	12000mm
Stage to underside of grid (roof)	19370mm (21950mm to grid roof)

Overhead obstructions

There are galleries & air-con ducts on PS & OP at least 10m from CL & 8m clearance. Gallery runs along rear wall at least 10000mm from SL & 9000mm clearance.

Auditorium

Auditorium consists of front and rear stalls as well as a balcony level. A 1500mm aisle separates the stalls and a drape can be drawn across the full face of the rear section. All seats in J row of the front stalls are individually removable for wheelchair access.

Seating capacity with additional Orchestra lift/pit seating installed	N/A
Seating capacity <u>without</u> Orchestra lift/pit seating installed	800

Orchestra Lift / Pit

Orchestra Pit

Mechanised forestage platform

Pit platform is 6.4mm masonite sheets on top of 18mm ply wood. The pit dimensions follow the curve of the stage with a recess under the stalls front row and under the stage apron. A prop safety net is put in place on the US edge of the pit when the pit is open.

Note: No persons may ride the platform. Safety barriers will be installed outside of a dress rehearsal or performance.

Set positions for orchestra pit where pit at auditorium level is 0mm

Show level at **200mm** above stage

Stage level at **0mm** above stage

Auditorium level at **990mm** below stage

Orchestra pit level at **2370mm** below stage

Band Room level at **3360mm** below stage

Lift can be set at any height **Yes**

SWL of orchestra lift **6000kgs distributed**

Dimensions of the orchestra pit **10500mm x 2420mm Centre, 1560mm Edge**

Orchestra pit maximum capacity **30 persons**

Flying Facilities

Fly System

Single purchase handline system

Fly System Details

Operating Position **OP at stage level**

Total number of Lines **60 installed**

Panorama Lines **2 – 8200mm long with 4 pickups**

Batten Drift **18525mm**

Batten Type **50x75mm rectangular steel battens**

Batten Length **17000mm**

Batten Extensions **1000mm (5 sets)**

Batten Pick-ups **5 pick-ups, 1 at centre then at 4100mm intervals**

Batten Point Load **60KG**

Batten W.L.L. **400kg distributed, including batten (36kg)**

Cradle Capacity **400kg, with 36kg already in for batten**

LX bars can be swung **YES – Approval required & additional labour costs apply**

Fly bars can be swung **YES – Approval required & additional labour costs apply**

SEE HANGING PLOT FOR LINE ALLOCATIONS AND FURTHER INFO.

Hanging Plot

SL: Setting Line as indicated previously

Line Type: SP = Single purchase, DP = Double purchase, MW = Motor Winch, HW = Hand Winch, HL = Handline

W.L.L.: Maximum distributed load including bar weight of approximately 25Kg

Line #	Distance from SL	Line Type	W.L.L BAR	Venue Allocation	Intended Use <i>(hiring company use)</i>
1	70 mm	SP	400kg	PELMET CURTAIN	Not Available for use
2	220 mm	SP	400kg	HOUSE CURTAIN	Not Available for use
3		SP	400kg	NOT INSTALLED	
4	520 mm	SP	400kg	FALSE PRO LEGS (Leg 1)	Not Available for use
5	670 mm	SP	400kg	FALSE PRO BORDER	Not Available for use
6	820 mm	SP	400kg	FREE	
7	970 mm	SP	400kg	LIGHTING BAR 1 (LINKED)	
8	1120 mm	SP	400kg	LIGHTING BAR 1 (LINKED)	
9	1270 mm	SP	400kg	FREE	
10	1420 mm	SP	400kg	LEG CURTAIN (Leg 2)	
11	1570 mm	SP	400kg	FREE	
12	1720 mm	SP	400kg	FREE	
13	1870 mm	SP	400kg	DOWN STAGE SMOTHER	
14	2020 mm	SP	400kg	FREE	
15	2170 mm	SP	400kg	FREE	
16	2320 mm	SP	400kg	MIRROR BALL	
17	2470 mm	SP	400kg	FREE	
18	N/A	SP	400kg	Not in use	
19	2770 mm	SP	400kg	BORDER	
20	2920 mm	SP	400kg	LEG CURTAIN (Leg 3)	
21	3070 mm	SP	400kg	FREE	
22	3220 mm	SP	400kg	LIGHTING BAR 2	
23	3370 mm	SP	400kg	FREE	
24	3520 mm	SP	400kg	LIGHTING BAR 2A (LINKED)	
25	3670 mm	SP	400kg	LIGHTING BAR 2A (LINKED)	
SPACE	SPACE	SPACE	SPACE	SPACE	SPACE
26	3970 mm	SP	400kg	FREE	
27	4120 mm	SP	400kg	BORDER CURTAIN	
28	4270 mm	SP	400kg	LEG CURTAIN (Leg 4)	
29	4420 mm	SP	400kg	FREE	
30	4570 mm	SP	400kg	SCREEN	
31	4720 mm	SP	400kg	CENTRE STAGE TAB CURTAINS	
32	4870 mm	SP	400kg	FREE	
33	5020 mm	SP	400kg	FREE	
34	5170 mm	SP	400kg	FREE	
35	5320 mm	SP	400kg	FREE	
36	5470 mm	SP	400kg	BORDER CURTAIN	
37	5620 mm	SP	400kg	LEG CURTAIN (Leg 5)	
38	5770 mm	SP	400kg	FREE	
39	5920 mm	SP	400kg	LIGHTING BAR 3	
40	6070 mm	SP	400kg	FREE	
41	6220 mm	SP	400kg	FREE	
42	6370 mm	SP	400kg	FREE	
43	6520 mm	SP	400kg	LIGHTING BAR 3A	
44	6670 mm	SP	400kg	FREE	
45	6820 mm	SP	400kg	FREE	
46	6970 mm	SP	400kg	BORDER CURTAIN	

Frankston Arts Centre - Theatre Technical Specifications

47	7120 mm	SP	400kg	LEG CURTAIN (Leg 6)	
48	7270 mm	SP	400kg	FREE	
49	7420 mm	SP	400kg	LIGHTING BAR 4	
50	7570 mm	SP	400kg	FREE	
51	7720 mm	SP	400kg	UP STAGE TAB CURTAINS	
52	7870 mm	SP	400kg	FREE	
SPACE	SPACE	SPACE	SPACE	SPACE	SPACE
53	8170 mm	SP	400kg	FREE	
54	8320 mm	SP	400kg	FREE	
55	8470 mm	SP	400kg	FREE	
56	8620 mm	SP	400kg	BORDER CURTAIN	
57	8770 mm	SP	400kg	LEG CURTAIN (Leg 7)	
58	8920 mm	SP	400kg	CYCLORAMA 1	
59	9070 mm	SP	400kg	CYCLORAMA 2	(Dance & Schools)
60	9220 mm	SP	400kg	UP STAGE SMOTHER	

*Type	Material	Colour	Width	Height	Quantity
House Curtain (Flown & Tabbed)	Velvet	Plum Red	17000mm	9000mm	1
Pelmet	Velvet	Plum Red	17000mm	3000mm	1
Travelling Pair of False Pro Legs (steel frame)	Wool	Black	3000mm	9000mm	1
False Pro Border (steel frame)	Wool	Black	17400mm	2800mm	1
Pairs of leg curtains	Wool	Black	3000mm	9000mm	6
Border Curtains	Wool	Black	17400mm	2800mm	5
Pair of traveller curtains	Wool	Black	8700mm	9000mm	2
Pair of Smother Curtains	Wool	Black	8700mm	9000mm	2
Cyclorama	Filled cloth	White	17000mm	7900mm	2

Access Equipment

Elevated Work Platform

Genie AWP – 30S, self-propelled vertical lift

Maximum reach is **9000mm (platform height)**

EWP Restrictions

Operator must be EWPA or similar accredited or approved by the Supervising Technician & log book **MUST** be filled out before use

Ladders

(1) 2150mm fibreglass with 1150mm high platform on castors

(1) 3600mm fibreglass

(1) 4500mm Aluminium Extension ladder

Staging Units

(8) SICO 1800 Mobile Folding Stage, (w)2440 x(d)1830 x (h)400 or (h) 600mm

(2) Set of SICO Treads (Steps)

(1) Ramp – Can only be used at the (h) 400mm

Stage Covers

Style	Carpet
Dimensions	Various
Colour	Green / Grey

Note: There are no dance floor/tarkett coverings available in house. If you require this, please ensure you supply the appropriate covering for your performance.

Stage Traps

(3) Dip traps per side available in PS & OP stage wings

Safety Curtain

Safety Curtain installed **NO**

Loading Dock

Access

Truck access is available via Davey Street located between Frankston Arts Centre and Cube 37 buildings. Both dock and stage are at street level (truck ramp required)

Loading Dock Height **Street level (Ramp or tail lift required)**

Door Dimensions **3400mm High**

3150mm Wide

Restrictions / Obstructions

Roller doors open to maximum height of **3400mm**.

Additional Rigging Notes

Rated capacity of Galleries and Grid floor is **250kg/m²**

Staging Notes

All scenic elements will be subject to a risk assessment by the Supervising Technician and will not be permitted if the risk is deemed too high.

Access to the stage galleries is from the PS of stage only.

All set pieces must be treated with flame retardant and travel with relevant documentation/certifications

Limited rigging gear is available in house, including lifting straps, FSWR droppers, shackles and snatch blocks.

Any variation to the house standard will incur setup and reset costs.

LIGHTING

Positions

Stage LX Bars LX bars can be swung from their standard positions with prior approval by the Team Leader Technical Operations

Note: See hanging plot for standard LX bar locations

FOH Bridge #1

Setting Line to lighting bar **11530mm throw, (11170mm high)**
Angle of stage to lighting bar **75 degrees elevation**
Notes Bar curves vertically. Measurements are from centre

FOH Bridge #2

Setting Line to lighting bar **15660mm throw, (11180mm high)**
Angle of stage to lighting bar **45 degrees elevation**
Notes Bar curves vertically. Measurements are from centre

Dress Circle Bar

Setting Line to lighting bar **13600mm (4550mm high)**
Angle of stage to lighting bar **19 degrees elevation**

Perch Positions

Highest fixture position **7000mm**
Lowest fixture position **1500mm**

Control

Lighting desk **Grand MA 2** - Software version 3.8.0.0 as of February 2020
Control channels **10,000**
Signal output **Artnet/DMX/MA net**
Signal distribution **12 way DMX split from control room to FOH, galleries, dimmer land and stage**
Remote riggers available onstage **YES through MA on PC**

Dimmer Racks

Total Dimmers **264**

Dimmer Locations

- 2 x 12ch racks - FOH1**
- 2 x 12ch racks - FOH2**
- 1 x 12ch rack - BIO BOX**
- 14 x 12ch racks - PS gallery 2**
- 1 x 12ch rack - USOP wall**
- 1 x 12ch rack - USPS wall**
- 1 x 12ch Floating rack - FOH 1**

2.4Kw Dimmer Racks

19 x State Automation Solution 12's

2 x Bytecraft Solution 12's

1 x JANDS FPX in roo bars

Total dimmers @ 2.4kw per dimmer **204**

5Kw Dimmer Racks **NA**

Total dimmers @ 5kw per dimmer **NA**

House Lights

Independent control **YES, 4 levels – 100%, 80%, 25%, 0%**

Control positions **Control room, prompt corner, auditorium lower door OP**

Fade time adjustable **NO**

Stage Luminare

Profile

Make	Model	Angle	Detail / Accessories	Watt	Total
ETC	Source 4 Zoom	15/30	(42) Iris & (45) Gobo Holders available	750w	24
ETC	Source 4 19 Degree Fixed Beam	19	Additional 5 x 19 Degree Lens Tubes available Iris & Gobo Holders	750w	13
ETC	Source 4 26 Degree Fixed Beam	26	Additional 6 x 26 Degree Lens Tubes available Iris & Gobo Holders	750w	12
ETC	Source 4 36 Degree Fixed Beam	36	Additional 5 x 36 Degree Lens Tubes available Iris & Gobo Holders	750w	14
Selecon	Zoomspot	8/30		1200w	2

Fresnel

Make	Model	Detail / Accessories	Watt	Total
Selecon	Rama	(48) Barndoors	1200w	48

Multi Par

Make	Model	Angle	Detail / Acc	Watt	Total
Kupo	Black	(36) WFL	Additional Lenses	575w	20

LED's

Make	Model	Detail	Lux	Total
Chauvet	COLORdash Par-Hex 12 RGBWA+UV	Colour Temp range: 2800 to 10000K	927 Lux @ 5m	21
Chauvet	Ovation C - 640FC RGBWA	Colour Temp range: 2800 to 10000K	141 Lux @ 5m	11
Show Pro	Fusion Par Q XII RGBW	Colour Temp range: 3000 to 10000K	912 Lux @ 5m	18

Additional Lighting (charges apply)

Item	Make	Model	Detail / Accessories	Watt	Unit hire price	Total
Follow spot	Robert Juliet	Marius	6 - Colour Magazine	MSR 1200	\$30	2
Strobe	LeMaitre	Geni1200	DMX activated	1000w	\$35	1
Hazer	Unique	Unique2	DMX activated		\$60	1
Mirror Ball		20"	20" diameter with motor		\$0	1
Smoke Machine	High End	FQ-100	DMX activated		\$50	1

Patching

Location	Quantity
FOH Bridge 1 (Dimmers 25 > 48)	24
FOH Bridge 2 (Dimmers 1 > 24)	24
Perch Boom OP	8
Perch Boom P	8
LX 1 (Dimmers 101 > 124)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
LX 2 (Dimmers 125 > 148)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
LX 2a (Dimmers 149 > 172)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
LX 3 (Dimmers 173 > 196)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
LX 3a (Dimmers 197>220)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
LX 4 (Dimmers 221>244)	24 Dimmer Outlets + 6 x Hot power or dimmer outlets
Dress Circle (Dimmers 49 > 60)	11

Power

3 Phase Outlets

- 1 x US Prompt (32 amp)
- 1 x PS Gallery 1 (20 amp)
- 1 x US OP (32 amp)
- 1 x PS Gallery Level 2 (32 amp) Patchable Dimmer Racks – DMX 61 > 72
- 1 x PS Gallery Level 2 (40 amp) Patchable Dimmer Racks – DMX 73 > 84
- 2 x PS Gallery Level 2 (32 amp) Patchable Dimmer Racks - Spare
- 1 x Loading Dock (32 amp)
- 1 x Control Room (32 amp) (For circle rail patchable dimmer rack)
- 1 x FOH 1 OP Gallery Level 1 (32 amp) Dimmer Rack
- 1 x FOH 1 OP Gallery Level 1 (32 amp) Spare
- 2 x FOH 2 Bridge Level 1 (40 amp) Dimmer Racks
- 4 x Between FOH 1 & 2 PS Gallery Level: 1 x 15 amp, 1 x 20 amp, 2 x 32 amp

Cabling

240v Extension Cable

The theatre has a good stock of extension leads to accommodate the venue’s standard lighting rig. Any additional equipment will require additional cable stock to be sourced.

Looms

Various Looms upon request.

3 phase Extensions

N/A

Lighting Notes

Masonite sheets available for EWP focus on tarkett/specialist flooring surfaces (No tarkett in house).

Orchestral

Item	Make	Detail / Accessories	Unit hire price	Total
Concert Grand Piano	Steinway D	Standard tuning A440 included On a 'spider' trolley	\$250	1
Baby Grand Piano	Yamaha G2 Pianoforte	Standard tuning included On a 'spider' trolley	\$250	1
Music Stands	K&M	Black with LED Scone lights	\$0	20
Chairs		Padded with back rest – Armless	\$0	40

AUDIO

Control Positions

Auditorium

Rear of Stalls (permanent position) – please note sound engineer will need to walk through seated patrons to get to the mix position.

Total seat allocation 6 (rows O & P seats 21 – 23)

Other

Prompt side of stage at Stage Managers console, mixer to be patched through main console

Control & Amplification

Primary Mixer

Item	Detail	Unit hire price	Total
Digico SD8	Stealth Core 2 – V9.0.987 as of July 2018	n/a	1

http://www.digico.org/DiGiCo_Manuals/SD8_Getting_Started.pdf

Secondary Mixer

Item	Detail	Unit hire price	Total
Digico SD8	Stealth Core 2 – V9.0.987 as of July 2018	\$200	1
Digico SD11	Stealth Core 2 – V9.0.987 as of July 2018	\$150	1

http://www.digico.org/DiGiCo_Manuals/SD11_Getting_Started.pdf

EQ, Compression & FX

Onboard

Amplifiers

d&b Audiotechnik E-Pac

Additional Desks

Item	Detail	Unit hire price	Total
Portable Audio Station	Yamaha MG12 Mixing Console, Denon DN-D4500mk2 CD/MPS Player	n/a	1
Yamaha 16-ch Mixer	16 Inputs (8 Mono & 4 Stereo)	n/a	1

Playback

Item	Make	Model	Detail	Unit hire price	Total
CD Player	Denon	DN-C620	Single CD player	n/a	2
CD/Bluetooth/USB Player	Denon	DN-500CB	Single CD player with Bluetooth & USB connection	n/a	2
QLab – Full License	Figure 53	QLab	Audio, Lighting & Video Control	n/a	1

Rack Patching

Location	Quantity	Location	Detail
Digico MADI Rack	1	Permanent on Prompt Side Downstage	48 sends, 16 analogue returns
Digico MADI Rack	1	Portable rack on wheels	48 sends, 8 analogue returns, 8 AES Returns
Digico D2 Rack	1		48 sends, 16 analogue returns

Tie Lines

- PS to OP
- PS to FOH
- PS to Control Patch/Master Patch
- Control Patch/Master Patch to: FOH, Bio Box, Various other locations

Speakers

FOH Speakers

- (2) d&b Audiotechnik Ci7SUB 18" Subwoofer
- (3) d&b Audiotechnik Ci60 Loudspeaker
- (3) d&b Audiotechnik Ci90 Loudspeaker
- (5) d&b Audiotechnik E0 Loudspeaker (Front Fill)
- (5) d&b Audiotechnik E0 Loudspeaker (Under Balcony Delay)
- (4) d&b Audiotechnik E3 Loudspeaker (Upper Balcony Delay)

Foldback

- (4) dB Technologies DVX DM28 Active Speaker
- (5) dB Technologies DVX DM12 Active Speaker
- (4) RCF ART 312A 2 Way Active Speaker
- (2) dB Technologies DVX DM15 Active Speaker – Permanently mounted DS as sidefill

Cabling

Audio Cable

The theatre has a good stock of cable to accommodate the venue's equipment.

Multicore

- (1) 30m 24 lines, 20 sends, 4 returns
- (1) 15m 8 lines, 8 sends

Accessories

Item	Model	Detail / Accessories	Unit hire price	Total
Microphone Stand	K&M	Tall Boom	n/a	10
Microphone Stand	K&M	Short Boom	n/a	5
Microphone Stand	K&M	Straight Stand	n/a	6

Microphones & DI's (charges may apply)

Make	Model	Detail / Accessories	Unit hire price	Total
Sennheiser	ew300 G3	Handheld Transmitters A Band	\$40	12
Sennheiser	ew300 G3	Handheld Transmitters B Band	\$40	12
Sennheiser	ew300 G3	Body Pack Transmitters A Band	\$40	12
Sennheiser	ew300 G3	Body Pack Transmitters B Band	\$40	12
Sennheiser	ew300 G3	Receivers A Band	n/a	12
Sennheiser	ew300 G3	Receivers B Band	n/a	12
Sennheiser	ew500	Plug in Transmitters A Band	\$40	2
JAG	IMX6A	Sennheiser Headset	\$50	8
Mipro	MU-55HN	Sennheiser Headset	\$50	8
Shure	Beta 58A	Dynamic Supercardioid	n/a	4
Shure	Beta 57A	Dynamic Supercardioid	n/a	4
Crown	PCC 160	Supercardioid Condenser	\$10	5
Sennheiser	e904	Cardioid Dynamic	\$5	3
Sennheiser	e902	Cardioid Dynamic	\$10	1
Sennheiser	e905	Cardioid Dynamic	\$5	1
		Full Drum Kit Mic Set	\$30	1
BSS	AR-133	Active DI box	\$5	4
ARX	AudiBox	USB-DI +	\$5	2
Aust. Monitor	AMX526	Desktop Switchable Microphone	\$10	2
DPA	R79373	Piano Bugs	\$10	2
Rode	NT5	Cardioid	\$10	6
Generic	Vocal	Various Imitation 57, 58 and Sennheiser Vocals	n/a	6

AUDIO VISUAL

Control Positions

Bio Box – next to LX operator
PS Stage – Stage Managers desk

Projector

Type	Model	Detail / Accessories	Unit hire price	Total
Panasonic 11K ANSI Projector	PTRZ-970	11,000 Lumens - Laser 2.3 to 3.6:1 zoom lens	\$350	1
Short Zoom Lens	DLE-150	1.3 - 1.9:1	n/a	1

Screens

Projection Screen

Front project flown screen.

Screen dimensions **16' x 9'**

AV Playback Equipment

Item	Model	Detail / Accessories	Unit hire price	Total
Laptop Computer		USB/Disc Drive – HDMI Out	\$55	1
ARKAOS – Media Server Software	Media Master Pro	Provides the ability to control graphics & video through the lighting console	n/a	1
Blu Ray Player	Pioneer	Single Blu Ray Player	n/a	1

Projector Rigging Points

Rigged from dress circle bar as standard

Cabling

The theatre has limited stock of SDI, HDMI, VGA & RCA leads available

Audio Visual Notes

The theatre has limited passive and active Cat5 to VGA converters available

- 2 x VGA splitter - 1 input 2 outputs
- 1 x Kramer (44HDXL) 4in/4out Matrix switcher
- 1 x Kramer (VP-790) Multi input Switcher/Scaler
- 3 x Decimator (MD-HX) HDMI/SDI Scaler Converters
- VGA and HDMI inputs available at Stage Management, Lighting and FOH Sound Control positions

BACKSTAGE

Communications

Stage Managers Desk

Stage managers desk is located in prompt corner. The desk can be moved within this area and is fitted with a light, talkback master station, headset and paging mic. House light control, stage monitor and clock are also located in prompt corner.

Talkback

Master Unit	1 x Clear - Com Free Speak II – Base II 4 loops & headset output, located at Stage Managers Desk PS
Total sub stations	9 x Clear - Com RS703 – 1 x FOH, 3 x Bio Box & 5 Spares
Total headsets	Clear - Com CC-300 Single Ear Headset Clear - Com CC-220 Double Ear Headset
Wireless Units	7 x Clear – Com Free Speak II dual loop
Squawk box	Tech office (E-300 Squawk box)

Paging / Show relay

Paging to the dressing rooms is available from the stage managers desk. Show relay is distributed to all dressing rooms, band room, tech office and green room.

Stage Monitor

Monitors at the stage manager's desk, tech office, green room and inside all auditorium air locks. Camera is located in the centre of the dress circle bar.

Q Light System

In house Q light system available **NO**

Dressing Rooms

Dressing Room	Capacity	Toilets	Shower	Details
Dressing Rm #1	15	N/A	N/A	Mirrors, lights, basins & racks
Dressing Rm #2	2	N/A	N/A	Mirrors, lights, basin & rack
Dressing Rm #3	2	N/A	N/A	Mirrors, lights, basin & rack
Dressing Rm #4	5	N/A	N/A	Mirrors, lights, basins & rack
Dressing Rm #5	4	N/A	N/A	Mirrors, lights, basin & rack
Dressing Rm #6	4	N/A	N/A	Mirrors, lights, basin & rack
Dressing Rm #7	4	N/A	N/A	Mirrors, lights, basin & rack
Dressing Rm #8	4	N/A	N/A	Mirrors, lights, basin & rack

Laundry

Washing Machines	1
Dryers	1
Drying rooms	N/A
Iron / ironing board	1 / 1
Clothes racks	2 portable
Sewing Machine	N/A
Upright mirrors	2 portable
Garment Steamer	1 portable

Production Facilities

Production Desk

Temporary set-up is available in centre aisle between lower and upper stalls. Set-up consists of trestle tables, DMX through audio system, talkback from audio system and house light control at the end of the aisle. Available upon request.

Production Office

YES, Production office can be in any Dressing room, or in with the Supervising Technician on Duty office

Phone

YES, available in the Supervising Technician on Duty office

Internet access

YES, Wi-Fi is available. Bookings must be made prior to bump in

Kitchen

Tea / Coffee facilities	Bookings made prior to bump-in.
Fridge / freezer	
Microwave / Kettle	
Filtered drinking water / Boiling Water Tap	

Stage Door

Access

Stage Door is located beside the loading dock on Davey St. Access during bump-in / out will be controlled by the Supervising Technician. The door **will** remain locked at all times. Access is via a keypad. The Supervising Technician will advise you of the door code when you arrive.

ADDITIONAL FACILITIES & INFORMATION

Band Room

Band room is located under the stage and links to the pit.

5 large mirrors exist along one wall with tables & chairs.

Room is lit with fluorescent lighting, no mirror lights available.

Green Room

Green Room is located off kitchen area.

Monitor and stage feed provided.

Wardrobe

Laundry located backstage

Rehearsal Space

There is no dedicated rehearsal space.

However we have additional spaces in the Arts Centre that can be hired in addition if available.

These are;

- Function Centre (2 rooms that can be 1 large room)
- Cube 37 Studio (Can be divided into 2 rooms)
- Cube 37 Labs (Can be divided into 2 rooms)
- The Business Lounge (Connected via the Green Room)

VENUE

Venue Contacts

Venue Address **27 - 35 Davey Street, Frankston, Victoria 3199**

Venue Postal Address **PO Box 490, Frankston, Victoria 3199**

Staff Contacts

Coordinator Operations – Tim Blundell

Phone Number: 03 9784 1058

Mobile Number: 0412 346 753

Email Address: tim.blundell@frankston.vic.gov.au

Team Leader Technical Operations – Michelle Bingham

Phone Number: 03 9784 1050

Mobile Number: 0400 876 550

Email Address: michelle.bingham@frankston.vic.gov.au

Team Leader Front of House Operations – Suzie Mackay

Phone Number: 03 9784 1995

Email Address: suzie.mackay@frankston.vic.gov.au

Coordinator Ticketing & CRM Services - Pauline Bagnall

Phone Number: 03 9784 1716

Email Address: pauline.bagnall@frankston.vic.gov.au

Supervising Technicians

Phone Number: 03 9784 1065

Box Office

Phone Number: 03 9784 1060

Email Address: artscentre@frankston.vic.gov.au

Stage Door

Phone Number: 03 9784 1065

Venue Plans

Venue Plan Available

YES, Available upon request from the Team Leader Technical Operations